



https://www.hechuan.com

Do not touch the installation site directly or scan the QR code

HCFA A site

5

Chengde Hechuan Technology Co., Ltd.

No.5, Qinshan Road, Longyou Industrial Zone, Quzhou City, Zhejiang Province



Safe installation

The products in this manual are industrial products and are all open-type housing designs. It is essential to install these products within a control cabinet that is safeguarded against dust, moisture, and accidents such as electric shocks or physical impacts. Additionally, protective measures must be taken to prevent malfunctions or damage caused by improper operation or accidents involving non-maintenance personnel. Failure to do so may lead to serious risks to personnel safety and potential loss of property.

M

Please refer to the M series hardware manual for more detailed information.

Model identification

1		2		3		4		5		6	
Product name)		Series model		Fixed suffix)		Expansion card series		Fixed suffix)		Software/ Firmware customized code and other identifiers	
HC	Hechuan Technology)	MA03	2AD+1DA (Analog 2AD+1DA)			MXB	M M-Series optional expansion	200	M200 M200 series optional card	XXXX	0-9/A-Z/ (N/A)

Application

Item	Model	Application (control room)	Specifications
Analog expansion card	HCMXB-MA03-200-BD	HCM211-20MR-A HCM211-20-A HCM211-20-A HCM211-20 R-A H	

Item	Specifications
Altitude	2000m
Operating environment	Installation within a control cabinet, open-type and indoor use
Operating temperature	0-55
Storage temperature	-25-70
Ambient humidity	10-95%RH
Vibration resistance	5-150Hz X/Y/Z 1g/3.5mm
Pollution degree	Level 2
Cooling method	Natural air cooling
IP rating	IP20
Enclosure material	Self-igniting, flame-retardant, non-toxic, and non-halogenated
	CN
	EN Instruction Sheet



